


**I, Amy T. Harvey, Deputy Town Clerk of the Town of Chapel Hill, North Carolina, hereby certify that the attached is a true and correct copy of (2024-05-01/R-4) adopted by the Chapel Hill Town Council on May 1, 2024.**

**This the 2nd day of May, 2024.**

A handwritten signature in cursive script that reads "Amy T. Harvey". The signature is written in black ink and is positioned above a solid horizontal line.

**Amy T. Harvey  
Deputy Town Clerk**



**RESOLUTION A  
(Resolution of Consistency)**

**A RESOLUTION REGARDING AMENDING THE CHAPEL HILL LAND USE MANAGEMENT ORDINANCE SUBSECTION 5.4.6 REGARDING GENERAL PERFORMANCE CRITERIA FOR STORMWATER MANAGEMENT. (2024-05-01/R-4)**

WHEREAS, at the June 9, 2021 Council meeting, several Council members presented a petition to the Town Council requesting a comprehensive review of the Town's stormwater management regulations; and

WHEREAS, there is concern that the stormwater management regulations adopted in 2003 do not address the increased precipitation frequency and intensity being experienced as a result of climate change; and

WHEREAS, the Town contracted with the team of Skidmore, Owings & Merrill and SRF Consulting Group (SRF) to conduct a review of the Town's stormwater management regulations, including the areas of review listed in the Council petition; and

WHEREAS, the SRF report recommended adding the 100-year, 24-hour storm event to the peak runoff rate control design storms, and also recommended clarifying the runoff volume that is to be treated to the 85% TSS removal requirement; and

WHEREAS, the Booker Creek Working Group recommended adoption of the 100-year design storm to the peak flow rate requirements; and

WHEREAS, at the November 29, 2023 meeting, several Council members presented a petition to the Town Council requesting that the addition of the 100-year storm be added to the regulations as soon as possible; and

WHEREAS, the Planning Commission reviewed the text amendments to the Land Use Management Ordinance Subsection 5.4.6 on February 20, 2024, and recommended that the Council enact the text amendments; and

WHEREAS, on January 24, 2024, the Council called a Legislative Hearing to amend Subsection 5.4.6 of the Land Use Management Ordinance as it relates to General Performance Criteria for Stormwater Management for the Council's March 20, 2024, meeting; and

WHEREAS, the Council of the Town of Chapel Hill has considered the proposed text amendment to the Land Use Management Ordinance (LUMO) Subsection 5.4.6; and

WHEREAS, upon consideration the Council finds that the amendment is reasonable and in the public's interest and is warranted to achieve the purposes of the Comprehensive Plan as explained by, but not limited to, the following goals of the Chapel Hill 2020 Comprehensive Plan:

- Maintain and improve air quality and water quality, and manage stormwater to heal local waterways and conserve biological ecosystems within the town boundaries and the Extra Territorial Jurisdiction (*Nurturing Our Community.2*)
- Protect neighborhoods from the impact of development such as stormwater runoff, light and noise pollution, and traffic (*Nurturing Our Community.8*)

NOW, THEREFORE, BE IT RESOLVED by the Council of the Town of Chapel Hill that the Council hereby finds the proposed text amendment to be consistent with the Town Comprehensive Plan.

This the 1<sup>st</sup> day of May, 2024.