CARRAWAY VILLAGE -UNC MEDICAL OFFICE

CARRAWAY VILLAGE - BLOCK A 300 VILLAGE CENTER DR CHAPEL HILL, NORTH CAROLINA 27516

COMMUNITY DESIGN COMMISSION

PROJECT NUMBER: SPEC25033 DATE: SEPTEMBER 22, 2025

COVER SHEET C2.00 SITE PLAN C3.00 GRADING AND STORM DRAINAGE PLAN L5.00 LANDSCAPE PLAN L5.01 LANDSCAPE DETAILS & SCHEDULE SITE LIGHTING PLAN ARCHITECTURAL SCREENING STUDY ARCHITECTURAL RENDERINGS SET 1 ARCHITECTURAL RENDERINGS SET 2 **EXTERIOR ELEVATIONS EXTERIOR SCREENING ELEVATIONS**

SHEET INDEX

UNC HEALTH CARE 5221 PARAMOUT PARKWAY, SUTIE 120 MORRISVILLE, NORTH CAROLINA 27560

CONTACT

CLIENT

ROBERT WINGATE, PE

PHONE: 919. 361. 5000

WINGATE@MCADAMSCO.COM

The John R. McAdams Company, Inc 621 Hillsborough Street Suite 500

Raleigh, NC 27603 phone 919. 361. 5000 fax 919. 361. 2269 license number: C-0293, C-187

www.mcadamsco.com

PROJECT DIRECTORY

DEVELOPMENT & CONSTRUCTION INSIGHT, LLC 2054 KILDARE FARM ROAD, SUITE 167 CARY, NORTH CAROLINA 27518

REDLINE DESIGN GROUP, PA 6601 SIX FORKS ROAD, SUITE 130 RALEIGH, NORTH CAROLINA 27615

MEP ENGINEER

ONE GLENWOOD AVE, SUITE 1010 RALEIGH, NORTH CAROLINA 27603

GEOTECHNICAL ENGINEER FALCON ENGINEERING, INC. 1210 TRINITY ROAD, SUITE 110 CARY, NORTH CAROLINA 27513



REVISIONS


1 07. 25. 2025 REVISED PER 1ST ZCP COMMENTS

6 - -


COMMUNITY DESIGN COMMISSION FOR: CARRAWAY VILLAGE - UNC MEDICAL OFFICE

300 VILLAGE CENTER DR CHAPEL HILL, NORTH CAROLINA 27516 PROJECT NUMBER: SPEC25033

CONTRACTOR SHALL NOTIFY "NC811" (811) OR (1-800-632-4949) AT LEAST 3 FULL BUSINESS DAYS PRIOF TO BEGINNING CONSTRUCTION OR EXCAVATION TO HAVE EXISTING UTILITIES LOCATED. CONTRACTOR SHALL CONTACT ANY LOCAL UTILITIES THAT PROVIDE THEIR OWN LOCATOR SERVICES INDEPENDENT OF "NC811" REPORT ANY DISCREPANCIES TO THE ENGINEER IMMEDIATELY.



*SEE SHEET CO.OO FOR COMPLETE MASTER DATA TABLE



VICINITY MAP 1" = 300'

PROJECT NARRATIVE:

THE PROPOSED DEVELOPMENT IS LOCATED WITHIN AN INCORPORATED AREA OF THE CHAPEL HILL, LOCATED AT 300 VILLAGE CENTER DRIVE, BETWEEN 200 VILLAGE CENTER DRIVE AND 400 VILLAGE CENTER DRIVE. THE CURRENT USE IS A VACANT SITE WITH MINIMAL VEGETATION ON A 1.562 ACRES LOT. A MEDICAL OFFICE BUILDING WITH ASSOCIATED UTILITY AND PARKING IS PROPOSED ON THIS VACANT LOT. THIS PROJECT WILL BE PART OF THE EXISTING CARRAWAY VILLAGE DEVELOPMENT.

LOCAL PERMITTING DEPARTMENTS & CONTACTS:

CHAPEL HILL PLANNING DEPARTMENT

PHONE NUMBER: 919-968-2731 CONTACT: - BRITANY WADDELL, DIRECTOR OF PLANNING - PLANNING@TOWNOFCHAPELHILL.ORG

CHAPEL HILL PUBLIC WORKS DEPARTMENT PHONE NUMBER: 919-969-5100


CONTACT: - LANCE NORRIS, PUBLIC WORKS DIRECTOR - LNORRIS@TOWNOFCHAPELHILL.ORG

CHAPEL HILL INSPECTIONS DEPARTMENT PHONE NUMBER: 919-968-2718 CONTACT: - PERMITS@TOWNOFCHAPELHILL.ORG

CHAPEL HILL FIRE MARSHAL DEPARTMENT CONTACT: -CHRIS WELLS, FIRE MARSHAL - FIRE@TOWNOFCHAPELHILL.ORG



PRELIMINARY DRAWING - NOT RELEASED FOR CONSTRUCTION





McAdams

621 Hillsborough Street, Suite 500 Raleigh, NC 27603 phone 919. 361. 5000

fax 919. 361. 2269 NC license number: C-0293, C-187

The John R. McAdams Company, Inc.

www.mcadamsco.com

CLIENT

REDLINE ARCHITECTS
6601 SIX FORKS ROAD, STE 13

6601 SIX FORKS ROAD, STE 130 RALEIGH, NC 27615 PHONE: OWNER PHONE

CARRAWAY VILLAGE UNC MEDICAL OFFICE
CONING COMPLIANCE PERMIT
300 VILLAGE CENTER DR



REVISIONS

6 - -

 NO.
 DATE
 DESCRIPTION

 1
 07. 25. 2025
 REVISED PER 1ST ZCP COMMENTS

 2

 3

 4

 5

PLAN INFORMATION

 PROJECT NO.
 SPEC25033

 FILENAME
 SPEC25033-S1

 CHECKED BY
 RTW

 DRAWN BY
 MJD, PSH


 SCALE
 1" = 30'

 DATE
 06. 05. 2025

 SHEET

SITE PLAN

C2.00





McAdams

The John R. McAdams Company, Inc. 621 Hillsborough Street, Suite 500 Raleigh, NC 27603

phone 919. 361. 5000 fax 919. 361. 2269 NC license number: C-0293, C-187

www.mcadamsco.com

CLIENT

REDLINE ARCHITECTS
6601 SIX FORKS ROAD, STE 130
RALEIGH, NC 27615
PHONE: OWNER PHONE

MEDICAL OFFICE G COMPLIANCE PERMIT VILLAGE CENTER DR



REVISIONS

 NO.
 DATE
 DESCRIPTION

 1
 07. 25. 2025
 REVISED PER 1ST ZCP COMMENTS

 2

 3

 4

 5

PLAN INFORMATION

PROJECT NO. SPEC25033

FILENAME SPEC25033-G1

CHECKED BY RTW

DRAWN BY MJD, PSH


SCALE 1" = 30'


DATE 06. 05. 2025

SHEET

GRADING AND STORM DRAINAGE PLAN

C3.00






PLANT SCHEDULE

SYMBOL CODE BOTANICAL / COMMON NAME

CANOPY TREE

O QLQ QUERCUS LYRATA 'QLFTB' HIGHBEAM® OVERCUP OAK



ULMUS AMERICANA 'PRINCETON'
PRINCETON AMERICAN ELM

— -- STORM DRAINAGE EASEMENT

UNDERSTORY TREE

JUNIPERUS VIRGINIANA 'BRODIE' BRODIE EASTERN REDCEDAR

ILEX VOMITORIA 'SCHILLINGS' SCHILLINGS YAUPON HOLLY

SHF

ARML ARONIA MELANOCARPA 'LOW SCAPE MOUND'

CAAA CALLICARPA AMERICANA AMERICAN BEAUTYBERRY

ILEG GEM BOY INVESTED OF

ILGS ILEX GLABRA 'SHAMROCK' SHAMROCK INKBERRY HOLLY

IVHG ITEA VIRGINICA 'HENRY'S GARNET'
HENRY'S GARNET SWEETSPIRE

JUVG JUNIPERUS VIRGINIANA 'GREY OWL'
GREY OWL EASTERN REDCEDAR

RHAG RHUS AROMATICA 'GRO-LOW'
GRO-LOW FRAGRANT SUMAC

VIDE VIBURNUM DENTATUM ARROWWOOD VIBURNUM

ORNAMENTAL GRASSES + SEDGES

MUHIENBERGIA CAL

MUCA PINK MUHLY GRASS

PANICUM VIRGATUM 'NORTHWIND'

+ PAVN NORTHWIND SWITCH GRASS

SCSC SCHIZACHYRIUM SCOPARIUM LITTLE BLUESTEM

GROUND COVERS

JUHB

JUHB

JUNIPERUS HORIZONTALIS 'BLUE CHIP'
BLUE CHIP CREEPING JUNIPER

PYMU PYCNANTHEMUM MUTICUM BLUNT MOUNTAINMINT

ORNAMENTAL GRASSES

CADA CAREX DIVULSA GRASSLAND SEDGE

NATE

ATE NASSELLA TENUISSIMA MEXICAN FEATHER GRASS

СУЕ

CYNODON DACTYLON X TRANSVAALENSIS DT 'DT-1' TIFTUF™ BERMUDAGRASS

GENERAL NOTES:

- EXISTING 50 FT LANDSCAPE BUFFER ALONG INTERSTATE 40 MUST BE REPLANTED TO MATCH THE SUP REQUIREMENTS IF DISTURBED BY ANY CONSTRUCTION ACTIVITY.
- CONSIDERED CONCEPTUAL IN NATURE. DEVELOPER RESERVES THE RIGHT TO:

 2.1 INSTALL ALL ADDITIONAL OR NONE OF THE ENHANCED.

2. ENHANCED PLANTINGS (BEYOND CODE MINIMUM) TO BE

- 2.1. INSTALL, ALL, ADDITIONAL, OR NONE OF THE ENHANCED MATERIAL DEPICTED ON PLAN
 2.2. REDUCE QUANTITIES OR SIZES OF ENHANCED PLANT MATERIAL
- DEPICTED, OR

 2.3. SUBSTITUTE SPECIFIED SPECIES BASED ON AVAILABILITY

 (SUBJECT TO SPECIES APPROVAL BY THE TOWN OF CHAPEL HILL)



ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CURRENT TOWN OF CHAPEL HILL, OWASA AND ORANGE COUNTY ENGINEERING DESIGN AND CONSTRUCTION STANDARDS



GRAPHIC SCALE

15 30 60

PRELIMINARY DRAWING - NOT RELEASED FOR CONSTRUCTION



McAdams

621 Hillsborough Street, Suite 500 Raleigh, NC 27603 phone 919. 361. 5000

The John R. McAdams Company, Inc.


NC license number: C-0293, C-187
www.mcadamsco.com

fax 919. 361. 2269

CLIENT

REDLINE ARCHITECTS
6601 SIX FORKS ROAD, STE 130
RALEIGH, NC 27615
PHONE: OWNER PHONE

RRAWAY VILLAGE IC MEDICAL OFFICE NG COMPLIANCE PERMIT 30 VILLAGE CENTER DR



REVISIONS

6 - -

 NO.
 DATE
 DESCRIPTION

 1
 07. 25. 2025
 REVISED PER 1ST ZCP COMMENTS

 2

 3

 4

PLAN INFORMATION

PROJECT NO. SPEC25033

FILENAME SPEC25033-LS1

CHECKED BY MPT

DRAWN BY BLB

SCALE 1" = 30'

DATE 06. 05. 2025

SHEET

LANDSCAPE PLAN

L5.00



TREE CANOPY CALCULATION:

GROSS DEVELOPMENT AREA = 53.75 AC.

NET AREA =

53.75 AC. - (4.55 AC. + 4.57 AC. + 3.06 AC. + 4.97 AC.) = **36.60 AC.** (1,594,296 SF) TREE CANOPY COVERAGE REQUIRED (30%) = 36.60 AC. X 0.30 = **10.98 AC**. (478,289 SF)

EXISTING CANOPY TO REMAIN = (3.96 AC. + 4.63 AC.) = **8.59 AC.** (374,180 SF; 23.5%)

TREE CANOPY DEFICIT = (10.98 AC. - 8.59 AC.) = **2.39 AC.** (104,108 SF; 6.5%)

REQUIRED TREE REPLACEMENT = (1 TREE / 500 SF)

2.39 AC. = 104,108 SF

104,108 SF / 500 SF = **209** TREES

209 TREES REQUIRED

272 TREES PROVIDED (RESIDENTIAL DEVELOPMENT) 14 TREES PROVIDED (APPROVED STARBUCKS)
+14 TREES PROVIDED (THIS DEVELOPMENT)
300 TOTAL TREES PROVIDED


32.88% TREE COVERAGE

CALCULATION NOTES:

CALCULATIONS ARE REFERENCED FROM THE CARRAWAY VILLAGE PHASE 1 ZCP PLANS (APPROVED 12-13-16). SEE SHEET LD-2 LANDSCAPE CALCULATIONS & DETAILS FOR ORIGINAL CALCULATIONS.



ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CURRENT TOWN OF CHAPEL HILL, OWASA AND ORANGE COUNTY ENGINEERING DESIGN AND CONSTRUCTION STANDARDS



PRELIMINARY DRAWING - NOT RELEASED FOR CONSTRUCTION



McAdams The John R. McAdams Company, Inc.

Raleigh, NC 27603 phone 919. 361. 5000 fax 919. 361. 2269


621 Hillsborough Street, Suite 500

www.mcadamsco.com

NC license number: C-0293, C-187

CLIENT

REDLINE ARCHITECTS 6601 SIX FORKS ROAD, STE 130 RALEIGH, NC 27615 PHONE: OWNER PHONE



REVISIONS

NO. DATE DESCRIPTION 1 07. 25. 2025 REVISED PER 1ST ZCP COMMENTS

PLAN INFORMATION

PROJECT NO. SPEC25033 SPEC25033-LP1 FILENAME CHECKED BY DRAWN BY SCALE 1" = 30' DATE 06. 05. 2025

SHEET

LANDSCAPE PROTECTION PLAN

LANDSCAPE NOTES

- 1. ALL MATERIALS AND METHODS OF CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE TOWN OF CHAPEL HILL THE STATE OF NORTH CAROLINA STANDARDS AND SPECIFICATIONS.
- 2. CONTRACTOR IS RESPONSIBLE FOR THE SITE INSPECTION BEFORE LANDSCAPE CONSTRUCTION AND INSTALLATION IN ORDER TO BECOME FAMILIAR WITH THE EXISTING CONDITIONS.
- 3. LANDSCAPE CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES BEFORE BEGINNING DEMOLITION OR INSTALLATION.
- 4. CONTRACTOR SHALL NOTIFY LANDSCAPE ARCHITECT OF ANY DISCREPANCIES BETWEEN THE NOTES,
- SPECIFICATIONS, DRAWINGS OR SITE CONDITIONS FOR RESOLUTION PRIOR TO INSTALLATION.
- 5. ANY DAMAGE TO UTILITIES SHALL BE REPAIRED AT THE CONTRACTOR'S EXPENSE.
- 6. THIS PLAN IS FOR PLANTING PURPOSES ONLY. FOR INFORMATION REGARDING BUILDINGS, GRADING, WALLS, ETC., REFER TO ARCHITECTURE, SITE AND GRADING PLANS.
- 7. VERIFICATION OF TOTAL PLANT QUANTITIES AS SHOWN IN THE PLANT SCHEDULE SHALL BE THE RESPONSIBILITY OF THE LANDSCAPE CONTRACTOR. ANY DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT.
- 8. CONTRACTOR TO ENSURE PROPER STABILIZATION AND SEEDING OF THE SITE IN ACCORDANCE WITH APPLICABLE REGULATIONS.
- 9. LANDSCAPE MATERIAL SHALL BE WELL FORMED, VIGOROUS, GROWING SPECIMENS WITH GROWTH TYPICAL OF VARIETIES SPECIFIED AND SHALL BE FREE FROM DAMAGE, INSECTS AND DISEASES. MATERIAL SHALL EQUAL OR SURPASS #1 QUALITY AS DEFINED IN THE CURRENT ISSUE OF "AMERICAN STANDARD FOR NURSERY STOCK" AS PUBLISHED BY THE AMERICAN NURSERY & LANDSCAPE ASSOCIATION.
- 10. ALL PLANT MATERIAL IS TO BE CAREFULLY HANDLED BY THE ROOT BALL, NOT THE TRUNK, BRANCHES AND/OR FOLIAGE OF THE PLANT. MISHANDLED PLANT MATERIAL MAY BE REJECTED BY THE LANDSCAPE ARCHITECT.
- 11. ALL PLANT MATERIAL IS TO BE WELL ROOTED, NOT ROOT BOUND, SUCH THAT THE ROOT BALL REMAINS INTACT THROUGHOUT THE PLANTING PROCESS. DEFICIENT PLANT MATERIAL MAY BE REJECTED BY THE LANDSCAPE ARCHITECT OR OWNER.
- 12. ALL PLANTS TO BE A MINIMUM OF WHAT IS SPECIFIED IN THE PLANT SCHEDULE. ANY CHANGES OR SUBSTITUTIONS SHALL BE APPROVED BY THE LANDSCAPE ARCHITECT AND GOVERNING JURISDICTION PRIOR TO ANY HOLE BEING DUG.
- 13. CONTRACTOR TO COORDINATE WITH OWNER'S REPRESENTATIVE AND LANDSCAPE ARCHITECT TO ESTABLISH THE EXTENTS OF MULCH/SEED/SOD IF NOT SPECIFICALLY SHOWN ON PLANS.
- 14. CONTRACTOR SHALL PROVIDE POSITIVE DRAINAGE IN ALL PLANTING AREAS.
- 15. PROPOSED TREES TO BE PLANTED A MINIMUM 15 FEET FROM ANY LIGHT POLE AS MEASURED FROM TRUNK OF THE TREE TO THE POLE.
- 16. PROPOSED TREES TO BE PLANTED A MINIMUM 15 FEET FROM ANY FIRE HYDRANT AS MEASURED FROM TRUNK OF THE TREE TO THE HYDRANT.
- 17. CONTRACTOR SHALL COMPLETE SOIL TEST IN ALL PLANTING AREAS TO DETERMINE SOIL AMENDMENT REQUIREMENTS UNLESS WAIVED BY OWNER'S REPRESENTATIVE. CONTRACTOR SHALL ADJUST PH AND FERTILITY BASED UPON THE SOIL TEST RESULTS.
- 18. TOPSOIL SHALL BE FREE OF MATERIAL LARGER THAN 1.0 INCH IN DIAMETER OR LENGTH AND SHALL NOT CONTAIN SLAG, CINDERS, STONES, LUMPS OF SOIL, STICKS, ROOTS, TRASH, OR OTHER EXTRANEOUS MATERIAL.
- 19. LOOSEN SUBGRADE / SURFACE SOIL TO A MINIMUM DEPTH OF 8 INCHES. APPLY SOIL AMENDMENTS AND FERTILIZERS AS REQUIRED BY THE SOIL TEST RESULTS TO ACHIEVE A HEALTHY GROWING MEDIA AND MIX THOROUGHLY INTO TOP 6 INCHES OF SOIL. SPREAD PLANTING SOIL MIX TO A DEPTH OF 6 INCHES BUT NOT LESS THAN REQUIRED TO MEET FINISH GRADES AFTER NATURAL SETTLEMENT. DO NOT SPREAD IF PLANTING SOIL OR SUBGRADE IS FROZEN, MUDDY, OR EXCESSIVELY WET.
- 20. IF IMPORTED TOPSOIL IS REQUIRED, THE SUBGRADE SHALL BE SCARIFIED OR TILLED TO A DEPTH OF AT LEAST 6 PRIOR TO INSTALLATION OF IMPORTED TOPSOIL. FOLLOWING INSTALLATION OF IMPORTED TOPSOIL, THE TOPSOIL SHALL BE TILLED TO INTEGRATE THE SOIL PROFILES.
- 21. PLANT MATERIALS ARE TO BE GUARANTEED FOR A PERIOD OF 12 MONTHS. PLANT MATERIALS WHICH REMAIN UNHEALTHY WILL BE REPLACED BY THE LANDSCAPE CONTRACTOR BEFORE THE EXPIRATION OF THE GUARANTEE PERIOD OR IMMEDIATELY IF SO DIRECTED BY THE OWNER'S REPRESENTATIVE OR LANDSCAPE ARCHITECT.
- 22. ALL TREE PLANTINGS SHALL BE MULCHED TO A DEPTH OF 3 INCHES, AND WITH A MINIMUM 3 FOOT RADIUS FROM BASE OF TREE OR TO DRIPLINE. MULCH SHALL BE FREE OF TRASH AND MAINTAINED WEED FREE. MULCH SHALL NOT COVER THE ROOT FLARE. CONFIRM MULCH SPECIFICATIONS WITH OWNER'S REPRESENTATIVE OR LANDSCAPE ARCHITECT.
- 23. DO NOT PRUNE TREES AND SHRUBS BEFORE DELIVERY. PROTECT BARK, BRANCHES, AND ROOT SYSTEMS FROM SUN SCALD, DRYING, SWEATING, WHIPPING, AND OTHER HANDLING AND TYING DAMAGE. DO NOT BEND OR BIND-TIE TREES OR SHRUBS IN SUCH A MANNER AS TO DESTROY THEIR NATURAL SHAPE. PROVIDE PROTECTIVE COVERING OF EXTERIOR PLANTS DURING DELIVERY. DO NOT DROP EXTERIOR PLANTS DURING DELIVERY AND HANDLING.
- 24. DELIVER EXTERIOR PLANTS AFTER PREPARATIONS FOR PLANTING HAVE BEEN COMPLETED AND INSTALL IMMEDIATELY. IMMEDIATELY AFTER UNLOADING, STAND THE TREES UP TO REDUCE THE RISK OF SUN SCALD. PROPERLY STAGED TREES ARE STANDING, UNTIED AND SPACED. UNLESS IMMEDIATELY INSTALLED, SET EXTERIOR
- PLANTS AND TREES IN SHADE, PROTECT FROM WEATHER AND MECHANICAL DAMAGE, AND KEEP ROOTS MOIST.

 25. SEE LANDSCAPE DETAILS FOR TREE STAKING REQUIREMENTS.
- 26. EXCAVATE EDGES OF ALL PLANTING BEDS TO 2 INCH DEPTH TO FORM A NEAT AND CRISP DEFINITION.
- 27. CONTRACTOR SHALL REMOVE DEBRIS AND FINE GRADE ALL PLANTING AREAS PRIOR TO INSTALLATION.

29. FINISH GRADING: GRADE PLANTING AREAS TO A SMOOTH, UNIFORM SURFACE PLANE WITH LOOSE, UNIFORMLY

28. REMOVE GUY WIRES AND STAKES AT END OF WARRANTY PERIOD OR ESTABLISHMENT.

LANDSCAPE CALCULATIONS:

PARKING LOT SHADING (THESE PLANS)
PARKING LOT AREA: 27,773 SF
LARGE TREES REQUIRED: 14 (1/2,000 SF)
TREES PROVIDED: 14

TREE CANOPY CALCULATION:

SEE L5.02 LANDSCAPE PROTECTION PLAN FOR CALCULATION AND NOTES.

PLANT SCHEDULE SYMBOL CODE QTY BOTANICAL / COMMON NAME CAL HEIGHT REMARKS **CANOPY TREE** OUFRCUS LYRATA 'OLFTB' HIGHBEAM® OVERCUP OAK ULMUS AMERICANA 'PRINCETON' 3" MIN 14` MIN PRINCETON AMERICAN ELM SUBTOTAL: **UNDERSTORY TREE** JUNIPERUS VIRGINIANA 'BRODIE' 1.5" MIN 8` MIN BRODIE EASTERN REDCEDAR SUBTOTAL: BOTANICAL / COMMON NAME SHRUBS ARONIA MELANOCARPA 'LOW SCAPE MOUND' 3 GAL ARML 12" MIN ENHANCED LOW SCAPE MOUND ARONIA CALLICARPA AMERICANA CAAA ENHANCED AMERICAN BEAUTYBERRY ILEX GLABRA 'GEM BOX' ILGG 3 GAL 12" MIN GEM BOX INKBERRY ILEX GLABRA 'SHAMROCK' ILGS 3 GAL SHAMROCK INKBERRY HOLLY ILEX VOMITORIA 'SCHILLINGS' ILVS 3 GAL 24" MIN SCHILLINGS YAUPON HOLLY ITEA VIRGINICA 'HENRY'S GARNET' 3 GAL IVHG HENRY'S GARNET SWEETSPIRE JUNIPERUS VIRGINIANA 'GREY OWL' JUVG 3 GAL GREY OWL EASTERN REDCEDAR RHUS AROMATICA 'GRO-LOW' 18" MIN ENHANCED **GRO-LOW FRAGRANT SUMAC** VIBURNUM DENTATUM ARROWWOOD VIBURNUM 257 SUBTOTAL: **ORNAMENTAL GRASSES + SEDGES**

· NANNANANANANANANANANANANANANANANANANAN	MUCA	46	MUHLENBERGIA CAPILLARIS PINK MUHLY GRASS	1 GAL	12" MIN	ENHANCED		
+ 1	PAVN	18	PANICUM VIRGATUM 'NORTHWIND' NORTHWIND SWITCH GRASS	1 GAL	12" MIN	ENHANCED		
*	SCSC	101	SCHIZACHYRIUM SCOPARIUM LITTLE BLUESTEM	1 GAL	12" MIN	ENHANCED		
		165	SUBTOTAL:					
MBOL	CODE	QTY	BOTANICAL / COMMON NAME	CONT		REMARKS		
ROUND COVERS								
	JUHB	70	JUNIPERUS HORIZONTALIS 'BLUE CHIP' BLUE CHIP CREEPING JUNIPER	1 GAL		ENHANCED		
	PYMU	432	PYCNANTHEMUM MUTICUM BLUNT MOUNTAINMINT	1 GAL		ENHANCED		
		502	SUBTOTAL:					

CYNODON DACTYLON X TRANSVAALENSIS

TIFTUF™ BERMUDAGRASS

1 GAL

ENHANCED

ENHANCED


[]]]]]		GNASSLAND SEDGE
NATE	206	NASSELLA TENUISSIMA MEXICAN FEATHER GRASS
	409	SUBTOTAL:

8,352 SF SUBTOTAL:


CAREX DIVULSA

ORNAMENTAL GRASSES

CADA 203



TREE INSTALLATION DETAIL



SHRUB INSTALLATION DETAIL



McAdams

The John R. McAdams Company, Inc 621 Hillsborough Street, Suite 500 Raleigh, NC 27603


phone 919. 361. 5000 fax 919. 361. 2269 NC license number: C-0293, C-187

www.mcadamsco.com

CLIENT

REDLINE ARCHITECTS
6601 SIX FORKS ROAD, STE 130
RALEIGH, NC 27615
PHONE: OWNER PHONE

CARRAWAY VILLAGE UNC MEDICAL OFFICE ONING COMPLIANCE PERMIT 300 VILLAGE CENTER DR



REVISIONS

NO. DATE DESCRIPTION

1 07. 25. 2025 REVISED PER 1ST ZCP COMMENTS

2 -
3 -
4 -
5 -
6 - -

PLAN INFORMATION

PROJECT NO. SPEC25033

FILENAME SPEC25033-LS1

CHECKED BY MPT

DRAWN BY BLB

SCALE N/A


DATE 06. 05. 2025

SHEET

SCHEDULE

ALL CONSTRUCTION SHALL BE IN ACCORDANCE
WITH THE CURRENT TOWN OF CHAPEL HILL,
OWASA AND ORANGE COUNTY ENGINEERING
DESIGN AND CONSTRUCTION STANDARDS

PRELIMINARY DRAWING - NOT RELEASED FOR CONSTRUCTION



Outdoor Lighting

DUKE ENERGY®

Somments

assey (Photometric Designer)

The (ODL Program Mgr)

Solution in the control of t

Checked By: Joseph Lane (ODL Progra

Date:9/5/2025

Carraway UNC - 300 Village Center Dr Chapel Hill NC WO 58448165

Page M of 1