10 Oct 19

Mr. Chris Roberts, PE Manager of Engineering & Infrastructure Town of Chapel Hill Public Works Department 6850 Millhouse Road Chapel Hill, NC 27514-5705

Subject: Glen Lennox Phase 1 Glen Lennox Drive Right-of-Way

Dear Chris,

Phase 1 of Glen Lennox includes the development of Block 7 and the construction of Glen Lennox Drive, which is a new public street along the southern edge of Block 7 that creates a new intersection with US 15-501. A Development Agreement Compliance Permit (DACP) for Phase 1 of Glen Lennox was approved on September 8, 2017. The original design of Glen Lennox Drive included a median and a 96' wide right-of-way for most of its length. A final subdivision plat was recorded on 5 Sep 2018 (BK: PL119, Pg 36-38), which dedicated the public rights-of-way for Glen Lennox Drive and Flemington Road and also split Block 7 into two separate lots.

In late 2018, Grubb Properties made a commitment to make Glen Lennox one of the most bicycle-friendly communities in North Carolina. Grubb hired Copenhagenize, an internationally-renown bicycle and pedestrian facility planning firm, to provide recommendations on how to accomplish this goal. One of their recommendations was to redesign the Glen Lennox Drive/US 15-501 intersection to give higher priority to bike and ped traffic and to create safer crossings. On 19 Aug 2019, a DACP Modification was approved by the Town of Chapel Hill reflecting the "Copehagenize" redesign of this intersection. One the revisions approved as part of this DACP modification was to remove the median from Glen Lennox Drive and narrow the roadway, which significantly shortened the crosswalks and helped reduce conflict points. The narrower roadway allows the public right-of-way to be narrowed from the currently platted 96' width to 79' wide. We are therefore requesting the Town of Chapel Hill to abandon the unnecessary right-of-way.

To support this request, I have attached the following items:

- Exhibit showing existing and proposed right-of-way and areas to be abandoned.
- A draft Right-of-Way Abandonment, Right-of-Way Dedication, and Easement Plat.
- Draft Public Notice.
- Draft Resolution.

Our understanding is that the first step in the process will be for your staff to prepare a Council consent agenda item, which will establish a Council Public Hearing on the matter at a subsequent Council meeting. We are hopeful this item can be included in the next available Council consent agenda and scheduled for the soonest public hearing possible thereafter.



221 Providence Road Eastowne Office Park Chapel Hill, NC 27514

919/929-0481 Chapel Hill 919/489-4789 Durham 919/489-2803 Fax Glen Lennox Phase 1 Glen Lennox Drive Right-of-Way Closure 10 Oct 19





Thanks very much for your assistance with this and please don't hesitate to call me should you have any questions or if you require additional information.


Yours very truly, BALLENTINE ASSOCIATES, PA

GH.

George J. Retschle, PE, LEED AP President







275 I HEREBY CERTIFY THAT THIS PLAT IS OF THE FOLLOWING TYPE: G.S. 47-30 (f)(11)(a). THIS SURVEY CREATES SUBDIVISION OF LAND WITHIN THE AREA OF A COUNTY OR MUNICIPALITY THAT HAS AN ORDINANCE THAT REGULATES PARCELS OF LAND. <u>r</u> GLEN LENNOX APARTMENTS, LLC -DB 6517, PG 559 PIN: 9798-38-2188 \mathbb{Z} S ERIC M. MANTURUK PLS L-5019 REMAINING AREA 50' Ш 60.31 AC. PRELIMINARY PLAT NOT FOR RECORDATION CONVEYANCES OR SALES 221 PROV (919) 92' COPYRIGH THIS DOC ASSOCIA MITHOU' ASSOCIA S SITE DATA TABLE ORIGINAL AREA NEW AREA NET CHANGE PIN # Associate 193,602 SQ. FT. 188,983 SQ. FT -4,619 SQ. FT. 9798-27-4763 4.44 AC. 4.34 AC. -(0.10 AC.) (LOT 7A) 50,067 SQ. FT. 48,446 SQ. FT. -1,621 SQ. FT 9798-27-4369 CORPORATE 1.15 AC. 1.11 AC. -(0.04 AC.) (LOT 7B) SEAL C328 25,929 SQ. FT. 29,425 SQ. FT. +3,496 SQ. FT 9798-27-4169 TOPTH CAROL 0.60 AC. 0.68 AC. +(0.08 AC.) (LOT 1) 9798-38-2188 2,627,529 SQ. FT. 2,627,032 SQ. FT. -497 SQ. FT. ^opel Hi T 60.32 AC. 60.31 AC. -(0.01 AC.) (PARENT) EXISTING 37,219 SQ. FT. -6,506 SQ. FT 30,713 SQ. FT. GLEN LENNOX 0.85 AC. 0.70 AC. -(0.15 AC.) DRIVE F EXISTING 45,131 SQ. FT. 45,628 SQ. FT. +497 SQ. FT. FLEMINGTON 1.04 AC. 1.05 AC. +(0.01 AC.) ROAD 9,250 SQ. FT. +9,250 SQ. FT 0 NEW MCINTOSH LANE 0.21 AC. +(0.21 AC.) 2,979,477 SQ. FT. 2,979,477 SQ. FT. 0 NEW AREA: WARIABLE WIDTH _ PUB TOTAL 68.40 AC. 68.40 AC. OWNER INFORMATION: GRUBB PROPERTIES, LLC. 4500 CAMERON VALLEY PKWY. SUITE 350 CHARLOTTE, NC 28211 LEGEND OWNERS REPRESENTATIVE: TIM JEZISEK EXISTING IRON PIPE ۲ 919-388-5777 PH.: \bigcirc EXISTING NCGS MONUMENT EMAIL: tjezsiek@grubbproperites.com B 2. FT. (1.04 FT. (1.05 P O IRON PIPE SET RIVIT DATE CALCULATED POINT NEW RIGHT-OF-WAY DEDICATION ŚŚ RIGHT-OF-WAY TO BE RELEASED NEW PUBLIC ACCESS EASEMENT NEW OWASA WATERLINE EASEMENT ISS (TIE) S 83'53'35" E P 0L22 -VARIABLE WIDTH OWASA SAN. SEWER EASEMENT 50.87' 0L21-(DB 6517, PG 568) V LENI 4 NIO R/W HEREBY DEDICATED (OLD) 85' 23" E GLEN RIVE R Ξ R/W HEREBY RELEASED FROM 9798-38-2188 CAR **DEDICATION REALIGNMENT** TO 9798-38-2188 AREA: 985 SQ. FT. 0030 AREA: 573 SQ. FT. ш 0.02 AC. 0.01 AC.-NORTH S END S F41-4 -E42 L7 I Ę Δ ⊢ 5 52 551 10 OL27 J 0L28 0L29 ζ 4 8 R/W ב × ORANGE - 40' OWASA WATERLINE NEW 40' OWASA -----FINAL 0 C100 WATERLINE EASEMENT EASEMENT McINTOSH LANE GLEN LENNOX DR AREA: 340 SQ. FT. (DB 6517, PG 572) ENN 0.01 AC. (DB ____, PG ____) R/W HEREBY DEDICATED-H FROM 9798-38-2188 AREA: 85 SQ. FT. 0.00 AC. 15 AL CHAPEL MAXWELL ROAD LEN G Ю

EXISTING VARIABLE WIDTH CROSS ACCESS EASEMENT —(PB 117, PG 178–179)

SHEET

AND

JOB NUMBER:

DATE:

SCALE:

DRAWN BY:

REVIEWED BY:

TOWN

107013.03

02 OCT 19 1"=40'

EJS

EMM

2 OF 3

CURVE TABLE					
	CURVE	RADIUS	ARC LENGTH	CHORD BEARING	CHORD LENGTH
	C1	405.00'	175.41'	S 01°45'49" W	174.04'
	C2	19.50'	16.68'	S 66°57'38" W	16.18'
	C3	19.50'	12.32'	N 70°26'08" W	12.12'
	C4	19.50'	12.16'	N 73°36'19" E	11.96'
	C5	19.50'	6.99'	S 78°15'55" E	6.95'
	C6	405.00'	8.46'	S 16°12'26" E	8.46'
	C7	355.00'	76.31'	S 10°38'51" E	76.16'
	C8	172.50'	42.58'	S 65°05'04" E	42.47'
	C9	172.50'	18.05'	S 55°00'57" E	18.04'
	C10	24.50'	30.51'	S 16°20'38" E	28.58'
	C11	22.00'	26.15'	S 38°32'49" E	24.64'
	C12	229.04'	107.83'	S 59°07'04" E	106.83'
	C13	32.00'	30.99'	S 73°22'25" E	29.79'

LINE	BEAF
L1	S 16
L2	S 04
L3	S 54
L4 L5	S 16 S 04 S 54 N 88 S 04 S 88 S 88 S 88 S 88 S 88 S 88 S 88 S 8
L5	S 04
L6	S 88
L7	S 88
L8	S 88
L9	S 44
L10	S 04
	5.04

	OLD
LINE	BEARIN
0L21	S 54°41
0L22	N 88°32
0L23	N 26°15
0L24	N 01°27
0L25	N 01°27
0L26	N 32°5
0L27	S 88°32
0L28	S 88°32
0L29	S 88°32
0L30	N 45°56
0L31	S 04°29
0L32	N 45°56

(OWASA E
LINE	BEA
E41	N 01°2
E42	S 01°2

SI	DEV	٧A
LINE		F
A51	S	5
A52	Ν	6

		OLD CURV	E TABLE	
CURVE	RADIUS	ARC LENGTH	CHORD BEARING	CHORD LENGTH
OC21	405.00'	20.28'	S 12°04'43" E	20.27'
OC22	405.00'	14.82'	S 14°33'38" E	14.82'
0C23	3.00'	1.95'	N 69°55'22"W	1.91'
0C24	51.00'	3.26'	N 53°08'39"W	3.26'
0C25	51.00'	29.87'	N 71°45'19" W	29.44'
OC26	175.00'	22.33'	S 66°25'22" E	22.32'
0C27	175.00'	13.75'	S 60°30'58" E	13.75'
OC28	32.00'	39.48'	S 22°55'21" E	37.02'
OC29	22.50'	27.54'	S 39°32'55" E	25.85'
OC30	225.00'	102.12'	S 61°36'21" E	101.24'
OC31	32.00'	28.22'	S 75°46'44" E	27.31'

GENERAL NOTES

1. SEE SHEET 1 OF 3 FOR GENERAL NOTES.

	DRA REV	JOB DAT SCA	GIEN IENNOX - DHASE 1	ISSUED	DATE DATE DATE DATE		Sla St alt
	WN	E:		:	E 3 RLO <u>WNE</u> I SC		
3	ED	IMB			50 TTE, <u>RS</u> CHU 704		
		ER:	McINTOSH LANE		<u>REI</u> MA(1) 9	COR	A SSOCIATES PA
DF	IEF		AND GLEN LENNOX DR R/W REALIGNMENT PLAT		RTIE VAI 20 20 2RE 2RE 2RE 271-	PORA EAL 328	5 221 PROVIDENCE ROAD. CHAPEL HILL N.C. 27514
					<u>SEN</u> R - 89	TE	(919) 929 – 0481
3		0701 0C ⁻ S	TOWN OF CHAPEL HILL, ORANGE COUNTY, NORTH CAROLINA		<u>1TA</u> 24	25. P.F.	COPYRIGHT © 2018 BALLENTINE THIS DOCUMENT IS THE PROPER
	EJ EM				IWY.		ASSOCIATES, P.A. ALL RIGHTS RESERVED. ANY REPRODUCTION OF THIS DOCUMENT OR POSSESSION
							WITHOUT PRIOR PERMISSION OF BALLENTINE ASSOCIATES, P.A. WILL BE SUBJECT TO LEGAL ACTION.

I HEREBY CERTIFY THAT THIS PLAT IS OF THE FOLLOWING TYPE: G.S. 47-30 (f)(11)(a). THIS SURVEY CREATES SUBDIVISION OF LAND WITHIN THE AREA OF A COUNTY OR MUNICIPALITY THAT HAS AN ORDINANCE THAT REGULATES PARCELS OF LAND.

ERIC M. MANTURUK PLS L-5019

LINE TABLE ARING DISTANCE 16'48'20" E 16.28' 04'29'23" E 23.19' 54'41'58" W 12.53' 88'32'02" W 35.89' 04'29'23" E 8.55' 88'32'02" E 6.23' 88'32'02" E 40.02' 88'32'02" E 7.47' 44'03'29" E 4.71' 04'29'23" E 32.54'

D LINE TAB NG	LE
	DISTANCE
41'58" W	4.18'
32'02"W	28.07 '
15'42" W	38.18'
27 ' 58" E	16.67'
27 ' 58" E	16.76'
53'56"E	26.54'
32'02"E	5.36'
32'02"E	40.00'
32'02"E	25.75 '
56'31"E	0.41'
29'23"E	10.55'
29'23"E 56'31"E	3.85'

TABLE
DISTANCE
8.50'
8.50'

K ESMT. LIN	E TABLE
EARING	DISTANCE
'04'02" W	16.86'
°12'23"W	9.97'

PRELIMINARY PLAT NOT FOR RECORDATION CONVEYANCES OR SALES